

#### PRODUCT DESCRIPTION

- Designed to reach an IP67 waterproof rating
- Fits a wide range of pipe handrail diameters
- Backlighting embedded in the handrail of stairs
- Easy assembly and disassembly with latches

INISH:
Silver anodized
Custom colors available upon request
Fill empty fields
Product nr.
Fixture type
Company
Job name
Date



#### **TECHNICAL SPECIFICATION**

# **Application**

POR Extrusion is designed to mount LED lighting into handrails made of steel, stainless steel or aluminum tubing with ☐ a diameter of 42mm and wall thickness of 2mm. ☐ POR extrusion has the ability to be sealed to IP67.

### **Assembly**

- using dedicated latches, embedded inside the handrail

#### Additional information


- possibility of making a linear fixture with IP67 protection, which means the fixture is dustproof and waterproof
- the maximum length of the opening in the handrail for mounting the profile is 1050 mm
- the maximum length of one section of the POR extrusion with end caps is 1049 mm
- two different mounting inserts allow mounting the extrusion in handrails with an inner diameter from 42 mm to 49 mm
- space for LED strip: 11.2 mm

#### **AVAILABLE LENGTHS**

Ref. nr.	surface finish	available lengths
B6144ANODA_1.05	Silver anodized	1050 mm
B6144ANODA_2.01	Silver anodized	2010 mm



# **TECHNICAL DRAWING**



KA frosted Cover

KA-PRO frosted Cover


Ref: 17064 **100**°

Ref: 17035 **90**°



## **RELATED PRODUCTS**

## **COVERS**



# **END CAPS**







Ref: 24137



### **ACCESSORIES**







POR Latch Ref: 24014



POR-PLUS Latch Ref: 24111


#### **LED TAPES**



LED strip K-1210-12V 4.8 W/m Ref: K-1210-12V



LED strip K-1210-24V 4.8W/m Ref: K-1210-24V



LED strip K-1215-RGB-12V 7.2W/m Ref: K-1215-RGB-12V



LED strip K-1215-RGB-24V 7.2W/m Ref: K-1215-RGB-24V



LED strip K-1220-12V 9.6W/m Ref: K-1220-12V



LED strip K-1220-24V 9.6W/m Ref: K-1220-24V



LED strip K-1225-RGB-12V 11.5W/m Ref: K-1225-RGB-12V




LED strip K-1225-RGB-24V 11.5W/m Ref: K-1225-RGB-24V



LED strip K-1275-12V Ref: K-1275-12V



LED strip K-1275-24V Ref: K-1275-24V



LED strip K-1275-RGB-12V 14.4W/m Ref: K-1275-RGB-12V



LED strip K-1275-RGB-24V 14.4W/m Ref: K-1275-RGB-24V



LED strip K-1530-RGB+W-24V



LED strip K-1820-HD-24V 18.2W/m Ref: K-1530-RGB+W-24V Ref: K-1820-HD-24V



LED strip K-1910-HD-24V 9.1W/m Ref: K-1910-HD-24V



LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120-RGB-24V





LED strip K-22/50-1728-24V 17.28W/m Ref: K-22/50-1728-24V



LED strip K-27/65-1920-24V 19.2W/m Ref: K-27/65-1920-24V



LED strip K-30/18-1770-24V 11.5W/m Ref: K-30/18-1770-24V



LED strip K-CR-1210-24V 4.8W/m Ref: K-CR-1210-24V



LED strip K-LR-1000-24V 10W/m Ref: K-LR-1000-24V



LED strip LED WP-K-1220-24V 9.6W/m Ref: WP-K-1220-24V



LED strip WP-K-1210-12V 4.8W/m Ref: WP-K-1210-12V



LED strip WP-K-1210-24V 4.8W/m Ref: WP-K-1210-24V



LED strip WP-K-1220-IP65-12V 9.6W/m Ref: WP-K-1220-IP65-12V



LED strip WP-K-1220-IP65-24V 9.6 W/m Ref: WP-K-1220-IP65-24V



LED strip WP-K-1275-12V 14.4W/m Ref: WP-K-1275-12V



LED strip WP-K-1275-24V 14.4W/m Ref: WP-K-1275-24V



LED strip WP-K-1920-120-RGB-24V 19.2W/m Ref: WP-K-1920-120-RGB-24V



LED strip WP-K-27/65-1920-24V 19.2W/m Ref: WP-K-27/65-1920-24V



LED strip WP-K-CR-1210-24V 4.8W/m Ref: WP-K-CR-1210-24V



LED strip WP-K-CR-1220-24V 9.6W/m Ref: WP-K-CR-1220-24V




LED strip WP-K-CR-1275-24V 14.4W/m Ref: WP-K-CR-1275-24V



Taśma LED K-CR-1220-24V 9.6W/m Ref: K-CR-1220-24V



Taśma LED K-CR-1275-24V 14.4W/m Ref: K-CR-1275-24V



Taśma LED K-CR-1820-HD-24V 18.2W/m Ref: K-CR-1820-HD-24V



Taśma LED K-CR-1910-HD-24V 9.1W/m Ref: K-CR-1910-HD-24V



Taśma LED WP-K-1220-12V 9.6W/m Ref: WP-K-1220-12V



Taśma LED WP-K-1910-HD-IP65-24V 9.1W/m Ref: WP-K-1910-HD-IP65-24V



# MARKETING MATERIALS







Presentation set 4 Ref: 90054